# Bioresource Technology 126 (2012) 24-30

Contents lists available at SciVerse ScienceDirect

# ELSEVIER





journal homepage: www.elsevier.com/locate/biortech

# Effect of CO<sub>2</sub> supply conditions on lipid production of *Chlorella vulgaris* from enzymatic hydrolysates of lipid-extracted microalgal biomass residues

Hongli Zheng, Zhen Gao, Fengwei Yin, Xiaojun Ji, He Huang\*

State Key Laboratory of Materials-Oriented Chemical Engineering, College of Biotechnology and Pharmaceutical Engineering, Nanjing University of Technology, No. 5 Xinmofan Road, Nanjing 210009, People's Republic of China

# HIGHLIGHTS

- ► CO<sub>2</sub> supply conditions had a significant effect on lipid production.
- ▶ The most suitable CO<sub>2</sub> concentration for microalgal growth was 5%.
- ▶ Microalga grew best at a CO<sub>2</sub> aeration rate of 0.5 vvm.
- ▶ The fatty acids of the microalga are suitable for biodiesel production.

#### ARTICLE INFO

Article history: Received 25 June 2012 Received in revised form 11 September 2012 Accepted 15 September 2012 Available online 25 September 2012

Keywords: Microalga Biodiesel CO<sub>2</sub> supply conditions Lipid-extracted microalgal biomass residues

# ABSTRACT

The hydrolysates from lipid-extracted microalgal biomass residues (LMBRs) were used as a source of nutrients for the cultivation of *Chlorella vulgaris* for lipid production under various CO<sub>2</sub> supply conditions, including different CO<sub>2</sub> concentrations and aeration rates. Both parameters had a significant effect on lipid production. A CO<sub>2</sub> concentration of 5% was found to be most suitable for microalgal growth. Microalga grew best at a CO<sub>2</sub> aeration rate of 0.5 vvm. At this rate, biomass concentration and lipid productivity were at a maximum of 3.83 g L<sup>-1</sup> and 157 mg L<sup>-1</sup> d<sup>-1</sup>, respectively, but decreased at lower or higher aeration rates. The present results showed that LMBRs utilization was effective in microalgal lipid production under suitable CO<sub>2</sub> supply conditions.

Crown Copyright © 2012 Published by Elsevier Ltd. All rights reserved.

### 1. Introduction

Lipid-extracted microalgal biomass residues (LMBRs) are the residual biomass from microalgal biodiesel production processes. These residues are rich in proteins and carbohydrates, and making use of them is necessary to increase the economic and environmental feasibility of microalgal biodiesel production (Ehimen et al., 2011). LMBRs could be converted to products such as amino acids and sugars by enzymatic hydrolysis and utilized as nutrient sources for a new crop of microalgae (Zheng et al., 2012a). Since nutrient supplies have a sizeable effect on cost, sustainability, and site selection for microalgal cultivation (Stephens et al., 2010), the use of LMBRs could contribute to the economy of microalgal biodiesel production.

In a previous study, *Chlorella vulgaris* using both sugars from the hydrolysates of LMBRs and CO<sub>2</sub> supplied by aeration as carbon

\* Corresponding author. Tel./fax: +86 25 83172094. *E-mail address:* biotech@njut.edu.cn (H. Huang).  $CO_2$  as inorganic carbon source for *C. vulgaris* growth, and/or better mixing, resulting in a sufficient light distribution and better mass transfer (Camacho et al., 2011). Therefore,  $CO_2$  supply conditions, including  $CO_2$  concentration and aeration rate, are very important and deserve more detailed investigation in the mixotrophic cultivation of *C. vulgaris* for lipid production using the hydrolysates (mainly amino acids and sugars) of LMBRs as nutrient sources. Lastly, the suitability of the extracted microalgal lipids for biodiesel production was evaluated.

sources achieves much higher biomass concentration than without CO<sub>2</sub> aeration (Zheng et al., 2012a). This is because aeration supplies

# 2. Methods

# 2.1. Microalgal strain and cultivation conditions

The microalga *C. vulgaris* (strain CCTCC M 209256) was obtained from the China Center for Type Culture Collection, Wuhan, China. The strain was preserved in 20% (v/v) glycerol at -80 °C. The

0960-8524/\$ - see front matter Crown Copyright © 2012 Published by Elsevier Ltd. All rights reserved. http://dx.doi.org/10.1016/j.biortech.2012.09.048